

MAHARISHI MARKANDESHWAR (DEEMED TO BE UNIVERSITY)

MULLANA-AMBALA, 133207 HARYANA (INDIA)

(Established under Section 3 of the UGC Act, 1956)

(Accredited by NAAC with grade “A”)

List of Research Projects/Consultancy during the session 2019-20

Sr. No	Name of the Principal Investigator/Co Investigator	Name of the Project, Clinical Trial, Endowment, Chairs	Funds provided (INR in Lakhs)
1.	DR. RAMAN KUMAR	TO DEVELOP A PROCESS FOR BIOREMEDIATION CHROMIUM FROM INDUSTRIAL EFFULENTS USING MICROBIAL CONSORTIUM	2.706
2.	DR. MEGHNA WALIA	INVOLVEMENT OF MALE PARTNER IN REPRODUCTIVE HEALTH CARE IN RURAL COMMUNITY	0.200
3.	PROF. SASANKA CHAKRABARTI	IDENTIFICATION OF NEUROPROTECTIVE ACTIONS OF COMPOUNDS THROUGH PREVENTION OF ALPHA SYNUCLEIN TOXICITY IN CELL BASED AND ANIMAL MODELS OF PARKINSON DISEASE	22.200
4.	DR. GAURAV PARASHAR	TARGETING N6- ADENINE SPECIFIC METHYLTRANSFERASE 1(N6AMT1) AND DRUG RESISTANCE IN CANCER: EXPANDING THE UTILITY OF RNA APTAMERS	3.150
5.	Dr. Sumeet Gupta	BILAYER FUNCTIONALIZED SCAFFOLD FOR PERIPHERAL NERVE AND GUIDED MOTOR NEURON REGENERATION	Not Received
6.	RENU	FORMULATION AND EVALUATION OF FAST DISSOLVING TABLET OF FEBUXOTAT USING CO PROCESSED EXCIPIENTS	5.963
7.	JAI BHARTI SHARMA	ENHANCEMENT OF STABILITY AND BIOAVAILABILITY OF NANADROLONE DECANOATE 50 MG	5.900
8.	KIRTI JAIN	FORMULATION AND EVALUATION OF AMITRIPTYLINE SUSTAINED RELEASE TABLETS FOR NEUROPROTHIC PAIN	2.950


9.	PREETI PAL	FORMULATION, DEVELOPMENT AND EVALUATION OF DELAYED RELEASE CAPSULE OF DULOXETINE HYDROCHLORIDE USING DIFFERENT ENTERIC COATED FORMULATION	2.950
10.	PRINSY RANA	ENHANCING DISSOLUTION PROFILE OF DIAZEPAM USING HYDROPHILIC POLYMERS	5.900
11.	PRINSY RANA	FORMULATION AND EVALUATION OF NAPROXEN AND DOMPERIDONE MULTI LAYERED TABLET	5.900
12.	VISHAL SHARMA	FORMULATION AND EVALUATION OF FAST DISSOLVING CLOBAZAM TABLETS	2.950
13.	VISHAL SHARMA	FORMULATION AND EVALUATION OF SUSTAINED RELEASE PRAMIPEXOLE TABLETS	2.950
14.	VISHAL SHARMA	SYNTHESIS OF NAPROXEV-EUGENOL HYBRID COMPOUND AS GASTRO-RESISTENT ANTI INFLAMMATORY	1.180
15.	MONIKA SAINI	SYNTHESIS AND MOLECULAR DOCKING STUDY OF QUINOLINE DERIVATIVES	2.400
16.	MR. MAHINDER PAL SINGH	FORMULATION AND EVALUATION OF FLOATING DRUG DELIVERY SYSTEM OF METHSCOPOLAMINE BROMIDE"	2.400
17.	MS. SONIA KAMBOJ	SYNTHESIS AND BIOLOGICAL EVALUATION OF NEW CHROMANE AND ITS ANALOGUES"	2.400
18.	MS. SATYA VERT	SYNTHESIS AND EVALUATION OF CURCUMIN ANALOGUES IN THE TREATMENT OF ARTHRITIS"	2.400
19.	AMIT YADAV	EXTRACTION OF OF C.SATIVUSH L., P.GRANATUM L., RHEUM SPP.L AND T.CHEBULAH	2.300
20.	SAKSHI BAJAJ	EXTRACTION AND ISOLATION AND PHARMACOLOGICAL EVALUATION OF SPIRULINA FUSIFORMIS AND BRASSICA OLERACEA SPROUTS	2.400
21.	MS. KIRTI GOEL	EXTRACTION AND ISOLATION OF ATTENUATING POTENTIAL OF SOLANUM NIGRUM	2.300
22.	MR. SAHIL GUPTA	EXTRACTION AND ISOLATION OF HYPERICUM PERFORATUM AND URTICA DIOICIA	2.300
23.	MS. SHAH ASMA FAROOQ	EXTRACTION AND ISOLATION OF MURRAYA KOENIGII AND FICUS CARICA	2.400

24.	MS. ISHA CHAWLA	EXTRACTION COLOSTRUM AND CURCUMIN IN THE MANAGEMENT OF DIABETIC FOOT ULCER	2.400
25.	MR. SATISH KUMAR	EXTRACTION, ISOLATION AND PHYTOPHARMACOLOGICAL EVALUATION OF ASPARAGUS OFFICINALIS AND MUCONA GIGANTEAN	2.400
26.	ANIL KAMBOJ	EXTRACTION, ISOLATION AND PHYTOPHARMACOLOGICAL EVALUATION OF CURCUMA AMADA AND CITRULLUS COLOCYNTHIS	2.300
27.	MS. DEEPSHI ARORA	FORMULATION AND EVALUATION OF INTRANASAL LIPID PARTICULATE DELIVERY SYSTEM OF RIVASTIGMINE	2.300
28.	MS. HIMANSHU	FORMULATION AND EVALUATION OF NANOSTRUCTURED LIPID CARRIERS OF SALFASALAZINE	2.400
29.	UDITI HANDA	FORMULATION AND EVALUATION OF SUPERFLUITY DRUG DELIVERY SYSTEM OF DEXTROMETHORPHAN HYDRO BROMIDE	2.300
30.	CIVIL ENGINEERING	STRUCTURAL DESIGN	20.060
31.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	12.980
32.	CIVIL ENGINEERING	STRUCTURAL DESIGN	7.729
33.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	7.080
34.	MANAGEMENT INSTITUTE	TO ENCOURAGE PEOPLE TO TAKE OWNERSHIP TOWARDS SEARCHING FACTS ABOUT HEALTHY SAVING & INVESTMENT OPTIONS.	11.800
35.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	5.900
36.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	3.741
37.	CIVIL ENGINEERING	STRUCTURAL DESIGN	3.540
38.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	3.245
39.	JAI BHARTI SHARMA	TROUBLESHOOTING AND DEVELOPMENT OF METFORMIN FLOATING TABLET	2.950
40.	RENU	TROUBLESHOOTING AND DEVELOPMENT OF CARBAMAZEPINE IMMEDIATE RELEASE	2.950
41.	TULSHI CHAKRABORTY	TROUBLESHOOTING AND DEVELOPMENT OF ORODISPESIBLE TABLETS OF DIAZEPAM	2.950

42.	CIVIL ENGINEERING	STRUCTURAL DESIGN	2.950
43.	MANAGEMENT INSTITUTE	CONSULTATION FOR VALUATION OF INDUSTRIAL UNITS	2.950
44.	CIVIL ENGINEERING	STRUCTURAL DESIGN	2.537
45.	CIVIL ENGINEERING	STRUCTURAL DESIGN	2.419
46.	DR.(MRS) JYOTI SARIN	R& D CONSULTANCY	2.000
47.	RENU	TROUBLE SHOOTING OF RABEPRAZOLE SUSTAINED RELEASE CAPSULES	1.000
48.	CIVIL ENGINEERING	SOIL TESTING	0.354
49.	DR. SUMEET GUPTA	POST -COITAL ANTI-FERTILITY ACTITVITY ON FEMALE RATS	0.240
50.	DR. INDERJEET VERMA	ANIMAL ACTIVITY CHARGES WITH CHEMICALS	0.236
51.	CIVIL ENGINEERING	SOIL TESTING	0.189
52.	ER. ANKUSH KHADWAL	SOIL TESTING	0.180
53.	ER. ANKUSH KHADWAL	SOIL TESTING	0.180
54.	CIVIL ENGINEERING	SOIL TESTING	0.180
55.	DR. B.S. WALIA	SOIL TESTING	0.160
56.	DR. SUMEET GUPTA	ANTI-DIABETIC ACTIVITY	0.156
57.	CIVIL ENGINEERING	SOIL TESTING	0.153
58.	DR. B.S. WALIA	SOIL TESTING	0.148
59.	DR.B.S.WALIA	SOIL TESTING	0.142
60.	DR.B.S.WALIA	SOIL TESTING	0.124
61.	DR. B.S. WALIA	SOIL TESTING	0.115
62.	DR. B.S. WALIA	SOIL TESTING	0.114
63.	DR.B.S.WALIA	SOIL TESTING	0.094
64.	DR.B.S.WALIA	SOIL TESTING	0.094
65.	CIVIL ENGINEERING	SOIL TESTING	0.094
66.	CIVIL ENGINEERING	SOIL TESTING	0.093
67.	DR. B.S. WALIA	SOIL TESTING	0.093
68.	DR. B.S. WALIA	SOIL TESTING	0.085
69.	DR. VANITA AGGARWAL	SURVEY	0.080
70.	DR. VANITA AGGARWAL	SURVEY	0.080
71.	CIVIL ENGINEERING	SURVEY	0.080
72.	CIVIL ENGINEERING	SURVEY	0.080
73.	DR.B.S.WALIA	SOIL TESTING	0.077
74.	DR.B.S.WALIA	SOIL TESTING	0.077

75.	DR.B.S.WALIA	SOIL TESTING	0.077
76.	DR.B.S.WALIA	SOIL TESTING	0.077
77.	DR.B.S.WALIA	SOIL TESTING	0.077
78.	DR.B.S.WALIA	SOIL TESTING	0.077
79.	DR.B.S.WALIA	SOIL TESTING	0.077
80.	DR.B.S.WALIA	SOIL TESTING	0.077
81.	DR.B.S.WALIA	SOIL TESTING	0.077
82.	DR.B.S.WALIA	SOIL TESTING	0.071
83.	CIVIL ENGINEERING	SOIL TESTING	0.071
84.	DR.B.S.WALIA	SOIL TESTING	0.071
85.	DR.B.S.WALIA	SOIL TESTING	0.071
86.	DR.B.S.WALIA	SOIL TESTING	0.071
87.	DR. B.S. WALIA	SOIL TESTING	0.071
88.	DR. B.S. WALIA	SOIL TESTING	0.071
89.	DR. B.S. WALIA	SOIL TESTING	0.071
90.	DR.B.S.WALIA	SOIL TESTING	0.071
91.	DR. B.S. WALIA	SOIL TESTING	0.070
92.	DR. B.S. WALIA	SOIL TESTING	0.065
93.	DR. B.S. WALIA	SOIL TESTING	0.065
94.	DR. B.S. WALIA	SOIL TESTING	0.065
95.	CIVIL ENGINEERING	WATER TESTING	0.040
96.	MECHANICAL ENGINEERING	WEDM	0.033
97.	CIVIL ENGINEERING	BRICKS AND AGGRIGATE	0.024
98.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.010
99.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
100.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
101.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
102.	DR.VANITA AGGARWAL	CUBE TESTING	0.008
103.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
104.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
105.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
106.	DR.VANITA AGGARWAL	CUBE TESTING	0.008

107.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
108.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
109.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
110.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
111.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
112.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
113.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
114.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
115.	DR. N K BATRA	MMC	0.006
116.	DR. N K BATRA	MMC	0.004


Registrar
Maharishi Markandeshwar
(Deemed to be University)
Mullana-Ambala 133-207

MAHARISHI MARKANDESHWAR (DEEMED TO BE UNIVERSITY)

MULLANA-AMBALA, 133207 HARYANA (INDIA)

(Established under Section 3 of the UGC Act, 1956)

(Accredited by NAAC with grade "A")

List of Research Projects/Consultancy during the session 2018-19

Sr. No	Name of the Principal Investigator/Co Investigator	Name of the Project, Clinical Trial, Endowment, Chairs	Funds provided (INR in Lakhs)
1.	DR. RANDHIR SINGH	TO EVALUATE THE ATTENUATING POTENTIAL OF GYMNEMA SYLVESTRE, CEPHALENDRA INDICA AND THEIR BIOACTIVE COMPOUNDS IN DIABETIC COMPLICATIONS (DIABETIC NEUROPATHY AND DIABETIC NEPHROPATHY)	1.956
2.	DR. MANU SHARMA	DEVELOPMENT OF VITAMIN RECEPTOR MEDIATED ENDOCYTOSIS BASED BIOTIN-IRINOTECAN CONJUGATES AS SELECTIVE AND SAFER COLON TUMOR TARGETING AGENTS	8.110
3.	DR. K. KRISHNA MEDHA, DR. MANISH GUPTA	"COMPARATIVE STUDY OF TRANSCANAL ENDOSCOPOC VERSUS POSTAURAL MICROSCOPIC TYMPANOPLASTY IN INACTIVE MUCOSAL CHRONIC OTITIS MEDIA"	1.764
4.	DR. ANKITA YADAV AND DR. L. N. GARG	"TO STUDY THE EFFECT OF CONDUCTIVE HEARING LOSS ON BONE CONDUCTION THRESHOLD "	0.733
5.	DR. SAHAS JINDAL AND DR. SUNITA GUPTA	A STUDY OF EVALUATION OF LV FUNCTION BY ECHOCARDIOGRAPHY IN TYPE II DIABETES MELLITUS	0.100
6.	DR. TWINKLE GUPTA AND DR. T. TALWAR	ASSESSMENT OF LEFT VENTRICULAR FUNCTION IN NEWLY DIAGNOSED HYPERTHYROID PATIENTS BY ECHOCARDIOGRAPHY	0.150
7.	DR. VISHVDEEP SAINI AND DR. SAMEER SINGHAL	CARBON MONOXIDE DIFFUSION CAPACITY (DLCO) AS A PREDICTOR OF MORBIDITY IN OBSTRUCTIVE AND RESTRICTIVE LUNG DISEASES	0.500
8.	DR. MONIKA AND DR. NITISH BAISAKHIYA	CLINICOPATHOLOGICAL AND RADIOLOGICAL STUDY OF THYROID SWELLING"	0.400

9.	ANIT LAMICHHANE AND DR. SUVARNA PRASAD	HIGH-SENSITIVITY C-REACTIVE PROTEIN (HS-CRP) AND INSULIN RESISTANCE IN PATIENTS WITH METABOLIC SYNDROME.	0.500
10.	DR. RAMAN KUMAR	TO DEVELOP A PROCESS FOR BIOREMEDIATION CHROMIUM FROM INDUSTRIAL EFFULENTS USING MICROBIAL CONSORTIUM	2.926
11.	DR. ANJALI AND DR. SVARNA PRASAD	TO EVALUATE GLYCATED HAEMOGLOBIN, MICROALBUMINURIA AND SERUM ELECTROLYTES LEVEL IN TYPE 2 DIABETES MELLITUS	0.500
12.	DR. RAJDEEP SINGH AND DR. MANISH GUPTA	TO STUDY THE ROLE OF ENDOSCOPIC EVALUATION OF NASOPHARYNX AND MICRODEBRIDER ASSISTED RESIDUAL TISSUE REMOVAL FOLLOWING CONVENTIONAL ADENOIDECTOMY	0.392
13.	DR. ANSHUL SINGH AND DR. L. N. GARG	TO STUDY THE ROLE OF SEPTOPLASTY ON PULMONARY FUNCTION TEST	0.300
14.	DR. B. K. AGRAWAL	AN OBSERVATIONAL, MULTICENTRE, PROSPECTIVE, POST MARKETING SURVEILLANCE STUDY (P.M.S) TO EVALUATE SAFETY AND EFFICACY OF ELORES TM (CEFTRIAZONE + SULBACTAM + DISODIUM EDETATE) IN PATIENTS WITH VARIOUS BACTERIAL INFECTIONS (LABELLED INDICATIONS).	3.000
15.	MR. VIJAY CHAUDHRY AND DR. SUVARNA PRASAD	ASSESSMENT OF SERUM VITAMIN D IN PATIENTS WITH TYPE 2 DIABETES MELLITUS.	1.000
16.	DR. MANISH KUMAR	DEVELOPMENT AND IN-VITRO EVALUATION OF SUSTAINED RELEASE PELLETS OF ATEORVASTATIN SODIUM USING DIFFERENT POLYMERS	2.500
17.	DR. SONAM SINGH AND DR. L. N. GARG	EFFECT OF SEPTOPLASTY ON EUSTACHIAN TUBE AND MIDDLE EAR FUNCTIONS	0.250
18.	DR. AKASH PETHEKAR	ENHANCEMENT OF STABILITY AND BIOAVAILABILITY OF NANADROLONE DECANOATE 25MG	2.500
19.	DR. MEENAKSHI DHANAVAT	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF FLUCONAZOLE DRUG A ITS DOSAGE FORM	2.500
20.	DR. AKASH JAIN	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF TWO COMBINE DRUGS CEFIXIME AND OFLOXACIN AND ITS DOSAGE FORM	2.500


21.	DR. JASMINE JAIN	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF TWO COMBINE DRUGS CEFIXIME AND OFLOXACIN AND ITS DOSAGE FORM	2.500
22.	DR. MANISHA BHATIA	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF TWO COMBINE DRUGS NAPROXEN AND DOMPERIDONE AND ITS DOSAGE FORM	2.500
23.	DR. RINA DASS	SYNTHESIS OF NSAIDS-ANTIOXIDANTS CONJUGATES AS SAFER NSAIDS	1.500
24.	DR. SONIA ARORA AND DR. MANISH GUPTA	TO STUDY THE EFFICACY OF BILATERAL TYPE 1 TYMPANOPLASTY DONE IN SINGLE SITTING	0.392
25.	DR. ANUJ MALIK	ENHANCEMENT OF STABILITY OF RABIPRAZOLE INJECTION	2.500
26.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	8.260
27.	DR. BALWINDER LALLOTRA	STRUCTURE DESIGN AND DRAWING	0.060
28.	DR. BALWINDER LALLOTRA	STRUCTURE DESIGN AND DRAWING	0.177
29.	DR. CHADETRIK ROUT	CONDUCT OF PRACTICALS	0.015
30.	DR. SIDDHARTHA SHARMA	WATER TESTING	0.065
31.	DR. VANITA AGGARWAL	CONDUCT OF PRACTICALS	0.090
32.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
33.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
34.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
35.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
36.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
37.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
38.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
39.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
40.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
41.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008

42.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
43.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
44.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
45.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
46.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
47.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
48.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
49.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
50.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.023
51.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.038
52.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.038
53.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.038
54.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.068
55.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.076
56.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.083
57.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.118
58.	ER. ANKUSH KHADWAL	SOIL TESTING	0.055
59.	ER. ANKUSH KHADWAL	SOIL TESTING	0.080
60.	ER. ANKUSH KHADWAL	SOIL TESTING	0.098
61.	ER. ANKUSH KHADWAL	SOIL TESTING	0.100
62.	ER. ANKUSH KHADWAL	SOIL TESTING	0.100
63.	ER. ANKUSH KHADWAL	SOIL TESTING	0.142
64.	ER. ANKUSH KHADWAL	SOIL TESTING	0.177
65.	ER. ANKUSH KHADWAL	SOIL TESTING	0.177

66.	ER. ANKUSH KHADWAL	SOIL TESTING	0.180
67.	ER. ANKUSH KHADWAL	SOIL TESTING	0.189
68.	ER. ANKUSH KHADWAL	SOIL TESTING	0.212
69.	ER. ANKUSH KHADWAL	SOIL TESTING	0.240
70.	ER. ANKUSH KHADWAL	SOIL TESTING	0.300
71.	ER. ANKUSH KHADWAL	SOIL TESTING	0.307
72.	ER. ANKUSH KHADWAL	SOIL TESTING	0.885
73.	ER. ANKUSH KHADWAL	SOIL TESTING	1.062
74.	ER. ANKUSH KHADWAL	SOIL TESTING	1.770
75.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
76.	ER. CHANDAN ROY	CONDUCT OF PRACTICALS	0.015
77.	ER. M.C. CHOUDHARY	TILE/CUBE TESTING	0.050
78.	HOD CSE	RD CONSULTANCY	3.540
79.	HOD CSE	RD CONSULTANCY	3.540
80.	HOD CSE	RD CONSULTANCY	4.720
81.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.018
82.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.019
83.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.039
84.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.039
85.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.039
86.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.058
87.	MECH ENGG DEPTT-MMEC	R& D CONSULTANCY	0.106
88.	DR. JYOTI SARIN	R& D CONSULTANCY	1.800
89.	DR. A. PANDURANGAN	TROUBLE SHOOTING STABILITY PROBLEM AND EVALUATION OF SUSTAINED RELEASE TABLETS OF ZOLPIDEM TARTRATE	3.000
90.	DR. ANUJ MALIK	ENHANCEMENT OF STABILITY AND BIOAVAILABILITY OF NANADROLONE DECANOATE 25MG	2.950
91.	DR. ANUJ MALIK	ENHANCEMENT OF STABILITY OF	2.950

		RABIPRAZOLE INJECTION	
92.	DR. ANUJ MALIK	TROUBLE SHOOTING OF TA DENTAL PASTE	4.000
93.	DR. M.S. RATHORE	TROUBLE SHOOTING STABILITY PROBLEM AND EVALUATION OF SUSTAINED RELEASE TABLETS OF ACECLOFENAC 200 MG	2.950
94.	DR. MANISH KUMAR	DESIGN, EVALUATION STABILITY OF FLUCONAZOLE 0.3% EYE OINTMENT	2.000
95.	DR. MANISH KUMAR	DEVELOPMENT AND IN-VITRO EVALUATION OF SUSTAINED RELEASE PELLETS OF ATEORVASTATIN SODIUM USING DIFFERENT POLYMERS	2.500
96.	DR. MANISH KUMAR	METHOD DEVELOPMENT OF AMOXYCLAV INJECTION	2.000
97.	DR. MANISH KUMAR	METHOD DEVELOPMENT OF VITAMIN E AND SOLENIUM INJECTION	2.000
98.	DR. MANU SHARMA	SYNTHESIS OF NSAIDS-ANTIOXIDANTS CONJUGATES AS SAFER NSAIDS	1.500
99.	DR. RINA DAS	FORMULATION AND EVALUATION OF MOUTH DISSOLVING FILM OF CLONAZEPAM.	3.000
100.	DR. SHAILENDRA BHATT	DESIGN AND OPTIMIZATION OF FAST DISSOLVING TABLET OF CLONAZEPAM	4.000
101.	DR. SHAILENDRA BHATT	FORMULATION AND EVALUATION OF MOUTH DISSOLVING FILM OF HYDROXYZINE HYDROCHLORIDE.	3.000
102.	DR. SUMEET GUPTA	ANTI-INFLAMMATORY AND ANTI-MICROBIAL ACTIVITY	0.299
103.	DR. SUMEET GUPTA	PHYTOCHEMISTRY AND PHARMACOLOGICAL EVALUATION OF NYMPHAEA ALBA AND TYPHA ELEPHANTINA	0.302
104.	DR. SUMEET GUPTA	SYNTHESIS AND PHARMAOCLOGICAL EVALUATION OF PYRAZOLE AND ISOXAZOLE DERIVATIVES	0.119
105.	DR. VIPIN SAINI	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF TWO COMBINE DRUGS CEFIXIME AND OFLOXACIN AND ITS DOSAGE FORM	2.950
106.	MR. SUMIT SHARMA	TROUBLE SHOOTING FOR PROMETHAZINE HYDROCHLORIDE TABLET	2.950
107.	MR. TULSHI	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF FLUCONAZOLE DRUG A ITS DOSAGE FORM	2.950

108.	MR. TULSHI	SOLUBILITY AND DISSOLUTION ENHANCEMENT OF TWO COMBINE DRUGS NAPROXEN AND DOMPERIDONE AND ITS DOSAGE FORM	2.950
109.	MR. TULSHI	TROUBLE SHOOTING FOR OLANZAPINE RD TABLETS	2.950
110.	MS. JAI BHARTI SHARMA	TROUBLE SHOOTING STABILITY PROBLEM AND METHOD DEVELOPMENT OF ACECLOFENAC 100 MG + 500 MG OF PARACETAMOL	2.950
111.	MS. KIRTI JAIN	TROUBLE SHOOTING FOR PRAMIPEXOLE DIHYDROCHLORIDE EXTENDED RELEASE TABLET	2.950
112.	MS. KIRTI JAIN	TROUBLE SHOOTING STABILITY PROBLEM AND EVALUATION OF SUSTAINED RELEASE PELLETS OF ROSUVASTAIN	2.500
113.	MS. KIRTI JAIN	TROUBLE SHOOTING STABILITY PROBLEM AND EVALUATION OF STERILE CEFEPIME HYDROCHLORIDE 250 INJECTION	2.000
114.	MS. PRINSY RANA	FORMULATION AND EVALUATION OF FAST DISINTEGRATING TABLET OF HYDROXYZINE HYDROCHLORIDE.	3.000
115.	MS. RENU SAHARAN	TROUBLE SHOOTING STABILITY PROBLEM OF DICLOFENAC SODIUM INJECTION BY ADDING SOME EXCIPIENT IN FORMULATIONS.	2.000
116.	MANAGEMENT INSTITUTE	RD CONSULTANCY	1.180
117.	MANAGEMENT INSTITUTE	RD CONSULTANCY	9.440


 Registrar
 Maharishi Markandeshwar
 (Deemed to be University)
 Mullana-Ambala 133-207

MAHARISHI MARKANDESHWAR (DEEMED TO BE UNIVERSITY)

MULLANA-AMBALA, 133207 HARYANA (INDIA)

(Established under Section 3 of the UGC Act, 1956)

(Accredited by NAAC with grade "A")

List of Research Projects/Consultancy during the session 2017-18

Sr. No	Name of the Principal Investigator/Co Investigator	Name of the Project, Clinical Trial, Endowment, Chairs	Funds provided (INR in Lakhs)
1.	DR KULDEEP SINGH	BUILDING BLOCK APPROACH TO B-LACTAMASE INHIBITORS USING METATHESIS	1.000
2.	DR. MANU SHARMA	DEVELOPMENT OF RECEPTOR MEDIATED ENDOCYTOSIS BASED IRINOTECAN-BIOTIN CONJUGATES AS SELECTIVE COLON TUMOR TARGETING AGENTS	2.000
3.	SHUBHAM GUPTA	A MIXED METHOD STUDY ON PATTERNS OF HEALTHCARE SEEKING BEHAVIOUR AMONG HYPERTENSIVE PATIENTS IN HARYANA	0.100
4.	DR. NIPUN AGGARWAL	TO CONDUCT THE SOCIO-ECONOMIC SURVEY OF BUDHIYAN, SOHANA, SIMBLA, HOLI AND SARAHPUR VILLAGES UNDER UNNAT BHARAT ABHIYAN	35.000
5.	DR. SUMEET GUPTA	RESEARCH AID FUND FOR "PHARMACOKINETICS AND PHARMACODYNAMICS OF ANTIBIOTICS AND CARDIOPROTECTIVE FORMULATIONS"	65.000
6.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	16.760
7.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	15.340
8.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	15.000
9.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	13.000
10.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	12.800
11.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	12.000
12.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	10.000
13.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	9.000

14.	CIVIL ENGINEERING	STRUCTURAL DESIGN AND DRAWING	5.900
15.	DR. JAGATHEESH K.	STABILITY TESTING FOR CEFAPRAZONE & SULBACTUM INJECTION	2.500
16.	DR. VICHITRA KAUSHIK	STABILITY TESTING OF HPMC OPHTHALMIC SOLUTION	2.500
17.	DR. ANUJ MALIK	ANALYTICAL METHOD DEVELOPMENT FOR EYE DROP WITH HPMC OPHTHALMIC SOLUTION	2.500
18.	DR. ANUJ MALIK	STABILITY TESTING OF AMOXICILLIN & CLOXACILLIN INJECTION	2.500
19.	DR. MANISH KUMAR	STABILITY OF CAMYLOFIN DIHYDROCHLORIDE	2.250
20.	DR. MANISH KUMAR	STABILITY TESTING ACECLOFENAC SODIUM COMBINATION	2.250
21.	DR. MANISH KUMAR	STABILITY OF TRICOLINE CITRATE AND CYPROHEPTADINE	2.250
22.	DR. TULSHI CHAKRABORTY	STABILITY OF CAMYLOFIN DIHYDROCHLORIDE COMBINATION	2.250
23.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	2.100
24.	DR.(MRS) JYOTI SARIN	R&D CONSULTANCY	2.000
25.	ER. ANKUSH KHADWAL	SOIL TESTING	1.553
26.	DR. RANDHIR S. DAHIYA	PHARMACOLOGICAL INVESTIGATION OF GIVEN SAMPLES FOR ANTI DIABETIC ACTIVITY	0.847
27.	ER. ANKUSH KHADWAL	SOIL TESTING	0.378
28.	ER. ANKUSH KHADWAL	SOIL TESTING	0.220
29.	ER. ANKUSH KHADWAL	SOIL TESTING	0.180
30.	DR. SUMEET GUPTA	EXPERIMENTAL WORK ON PRECLINICAL STUDIES	0.162
31.	ER. ANKUSH KHADWAL	SOIL TESTING	0.161
32.	ER. ANKUSH KHADWAL	SOIL TESTING	0.160
33.	ER. ANKUSH KHADWAL	SOIL TESTING	0.150
34.	ER. ANKUSH KHADWAL	SOIL TESTING	0.150

35.	ER. ANKUSH KHADWAL	SOIL TESTING	0.118
36.	ER. ANKUSH KHADWAL	SOIL TESTING	0.110
37.	ER. ANKUSH KHADWAL	SOIL TESTING	0.110
38.	DR. N.K.BATRA	RD CONSULTANCY	0.106
39.	DR. SUMEET GUPTA	EXPERIMENTAL WORK ON PRECLINICAL STUDIES	0.102
40.	ER. ANKUSH KHADWAL	SOIL TESTING	0.070
41.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.064
42.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.064
43.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.064
44.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.060
45.	DR. VANITA AGGARWAL	FINE SAND TEST	0.055
46.	DR. VANITA AGGARWAL	STEEL BAR TESTING	0.045
47.	PROF. R.D.GUPTA	RD CONSULTANCY	0.039
48.	DR. N.K.BATRA	RD CONSULTANCY	0.039
49.	DR. N.K.BATRA	RD CONSULTANCY	0.039
50.	PROF. R.D. GUPTA	RD CONSULTANCY	0.039
51.	ER. M.C. CHOUDHARY	TILE/CUBE TESTING	0.032
52.	ER. M.C. CHOUDHARY	TILE/CUBE TESTING	0.032
53.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.030
54.	DR. N.K.BATRA	RD CONSULTANCY	0.028
55.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.024
56.	PROF. R.D. GUPTA	RD CONSULTANCY	0.019
57.	DR. N. K. BATRA	RD CONSULTANCY	0.018
58.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.014
59.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.012

60.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.012
61.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
62.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.010
63.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.010
64.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.010
65.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.010
66.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
67.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
68.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
69.	ER. SUMINDER MEERWAL	TILE/CUBE TESTING	0.008
70.	ER. SUMINDER MEERWAL	TILE/CUBE TESTING	0.008
71.	ER. SUMINDER MEERWAL	TILE/CUBE TESTING	0.008
72.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
73.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
74.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
75.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
76.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
77.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
78.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
79.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
80.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008

81.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
82.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
83.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
84.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
85.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
86.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
87.	ER. ANEESH GOYAL	TILE/CUBE TESTING	0.008
88.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
89.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
90.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
91.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
92.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
93.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
94.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
95.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
96.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
97.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
98.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.008
99.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.008
100.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
101.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008

102.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
103.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
104.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
105.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
106.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.008
107.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
108.	ER. SUMINDER MEERWAL	TILE/CUBE TESTING	0.008
109.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
110.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
111.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
112.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
113.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
114.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
115.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
116.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
117.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
118.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
119.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
120.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
121.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
122.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008

123.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.007
124.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.007
125.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
126.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
127.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
128.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
129.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
130.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
131.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
132.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
133.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
134.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
135.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
136.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
137.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
138.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
139.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
140.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
141.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
142.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
143.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

144.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
145.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
146.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
147.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
148.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
149.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
150.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
151.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
152.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
153.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
154.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
155.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
156.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
157.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
158.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
159.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
160.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
161.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
162.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
163.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
164.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
165.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
166.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
167.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
168.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

169.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
170.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
171.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
172.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
173.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
174.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
175.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
176.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
177.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
178.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
179.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
180.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
181.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
182.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
183.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
184.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
185.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
186.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
187.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
188.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
189.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

190.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
191.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
192.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
193.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
194.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
195.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
196.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
197.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
198.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
199.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
200.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
201.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
202.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
203.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
204.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
205.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
206.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
207.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
208.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
209.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
210.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
211.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
212.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
213.	ER. SUMINDER MEERWAL	TILE/CUBE TESTING	0.006
214.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
215.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006

216.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
217.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
218.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
219.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
220.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
221.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
222.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
223.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
224.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
225.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
226.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
227.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
228.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
229.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
230.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
231.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
232.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
233.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
234.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
235.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
236.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
237.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
238.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
239.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
240.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006

241.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
242.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
243.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
244.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
245.	ER. CHANDAN ROY	TILE/CUBE TESTING	0.006
246.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
247.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
248.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
249.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
250.	ER. SUMINDER MEERWAL	TILE/CUBE TESTING	0.006
251.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
252.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
253.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
254.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
255.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
256.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
257.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
258.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
259.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
260.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
261.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
262.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
263.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
264.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
265.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

266.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
267.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
268.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
269.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
270.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
271.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
272.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
273.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
274.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
275.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
276.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
277.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
278.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
279.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
280.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
281.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
282.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
283.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
284.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
285.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
286.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
287.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
288.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
289.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
290.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
291.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
292.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006

293.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
294.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
295.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
296.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
297.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
298.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
299.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
300.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
301.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
302.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
303.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
304.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
305.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
306.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
307.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
308.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
309.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
310.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
311.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
312.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
313.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
314.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
315.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
316.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
317.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

318.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
319.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
320.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
321.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
322.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
323.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
324.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
325.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
326.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
327.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
328.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
329.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
330.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
331.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
332.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
333.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
334.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
335.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
336.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
337.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
338.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
339.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
340.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
341.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006


342.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
343.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
344.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
345.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
346.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
347.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
348.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
349.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
350.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
351.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
352.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
353.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
354.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
355.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
356.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
357.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
358.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
359.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
360.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
361.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
362.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
363.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
364.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006

365.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
366.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
367.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
368.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
369.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
370.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
371.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
372.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
373.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
374.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
375.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
376.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
377.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
378.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
379.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
380.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
381.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
382.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
383.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
384.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
385.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
386.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
387.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

388.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
389.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
390.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
391.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
392.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
393.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
394.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
395.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
396.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
397.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
398.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
399.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
400.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
401.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
402.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
403.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
404.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
405.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
406.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
407.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
408.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
409.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
410.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006

411.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
412.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
413.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
414.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
415.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
416.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
417.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
418.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
419.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
420.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
421.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
422.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
423.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
424.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
425.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
426.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
427.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.004
428.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.004
429.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.004
430.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.004
431.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.004

432.	DR. MANU SHARMA	DEVELOPMENT OF VITAMIN RECEPTOR MEDIATED ENDOCYTOSIS BASED BIOTIN-IRINOTECAN CONJUGATES AS SELECTIVE AND SAFER COLON TUMOR TARGETING AGENTS	8.040
------	-----------------	---	-------


Registrar
Maharishi Markandeshwar
(Deemed to be University)
Mullana-Ambala 133-207

MAHARISHI MARKANDESHWAR UNIVERSITY
MULLANA-AMBALA, 133207 HARYANA (INDIA)

(Established under Section 3 of the UGC Act, 1956)

(Accredited by NAAC with grade "A")

List of Research Projects/Consultancy during the session 2016-17

Sr. No	Name of the Principal Investigator/Co Investigator	Name of the Project, Clinical Trial, Endowment, Chairs	Funds provided (INR in Lakhs)
1.	DR KULDEEP SINGH	BUILDING BLOCK APPROACH TO B-LACTAMASE INHIBITORS USING METATHESIS	4.000
2.	DR. SUKHJEET SINGH DHINDHSA	NUCLEAR STRUCTURE AND DECAY DATA EVALUATION IN THE MASS A= 220 REGION	1.420
3.	DR. HARKIRAN AND DR. JAYATHI NATH	EVALUATION OF SERUM LIPID PROFILE AND SERUM CALCIUM IN HYPERTENSION OF THIRD TRIMESTER PREGNANCY	0.500
4.	DR. NAAZBIR AND DR. TEJINDER KAUR	THIRD TRIMESTER UTERINE ARTERY DOPPLER IN HIGH RISK PREGNANCY FOR PREDICTION OF ADVERSE PERINATAL OUTCOME	0.250
5.	DR. RAJESH KUMAR AND DR. G. DHANJAL	TO STUDY THE EFFECTIVNESS OF CORD BLOOD ALBUMIN AS PREDICTOR OF NEONATAL JAUNDICE	0.300
6.	DR. MANROOP AND DR. RUDRA	A COMPARATIVE STUDY OF DETECTION RATE OF GESTATIONAL DIABETES MELLITUS BY DIPSI AND IADPSG CRITERIA.	0.100
7.	DR DILLON AND DR. MAHAJAN	CORD BLOOD CPK LEVELS IN RELATION TO APGAR AT 5 MIN	0.500
8.	DR. MONU AND DR. NAINA KUMAR	ROLE OF ADMISSION CARDIOTOCOGRAPH TO PREDICT OBSTETRIC OUTCOME	0.500
9.	DR. TRISHA ARORA AND DR. JAYANTHI NATH	CORRELATION OF ULTRASONOGRAPHY AND HISTOPATHOLOGICAL FINDINGS IN PERIMENOPAUSAL WOMEN WITH ABNORMAL UTERINE BLEEDING.	0.490
10.	DR. VIPUL TANEJA AND DR. BHARADWAJ	CORD BLOOD TSH LEVEL INTERPRETATION IN LIGHT TO PERINATAL FACTORS	0.550

11.	CIVIL ENGINEERING	ENGINEERING SERVICES FOR CONSTRUCTION OF FOUR POLYTECHNICS IN VARIOUS PLACES, RANCHI TECHNICAL UNIVERSITY AND BIT, SINDRI (JHARKHAND)	47.000
12.	CIVIL ENGINEERING	CAD DRAWINGS, Mx DRAWINGS FOR WIDENING/STRENGTHNING RAISING INCLUDING DESIGN OF BRIDGES/ CD WORK	35.000
13.	CIVIL ENGINEERING	ENGINEERING SERVICES FOR CONSTRUCTION OF NEW JHARKHAND HIGH COURT BUILDING AND RESIDENTIAL COMPLEX AT DHURWA, RANCHI	13.000
14.	HOD CSE	RD CONSULTANCY	5.100
15.	CIVIL ENGINEERING	ENGINEERING SERVICES FOR CONSTRUCTION OF ARYABHATTA KNOWLEDGE UNIVERSITY AT MITHAPUR, PATNA	5.000
16.	DR.P.S VOHRA	ADVISORY FEE	3.150
17.	HOD CSE	RD CONSULTANCY	3.150
18.	HOD CSE	RD CONSULTANCY	2.250
19.	MR. HIMANSHU SHARMA	SKILL DEVELOPMENT IN ESDM FOR DIGITAL INDIA	1.907
20.	MMIM	RD CONSULTANCY	0.700
21.	DR. MANISH KUMAR	TABLET FORMULATION OF NUTRACEUTICAL SUPPLEMENT	0.700
22.	HOD, OBS & GYNE	RD CONSULTANCY	0.500
23.	MR. TULSHI CHAKRABORTHY	DISSOLUTION ENHANCEMENT OF TWO COMBINE DRUGS ACECLOFENAC AND PARACETAMOL	0.500
24.	HOD, OBS & GYNE	RD CONSULTANCY	0.500
25.	HOD, OBS & GYNE	RD CONSULTANCY	0.490
26.	HOD, OBS & GYNE	RD CONSULTANCY	0.490
27.	ER. ANKUSH KHADWAL	SOIL TESTING	0.470
28.	DR. SUMEET GUPTA	ROLE OF ATRIAL NATRIURETIC PEPTIDE IN DEVELOPMENT OF EXPERIMENTAL DIABETIC NEPHROPATHY IN WISTAR RATS	0.344
29.	ER. ANKUSH KHADWAL	SOIL TESTING	0.320
30.	ER. ANKUSH KHADWAL	SOIL TESTING	0.200

31.	ER. ANKUSH KHADWAL	SOIL TESTING	0.180
32.	ER. ANKUSH KHADWAL	SOIL TESTING	0.172
33.	ER. ANKUSH KHADWAL	SOIL TESTING	0.150
34.	ER. ANKUSH KHADWAL	SOIL TESTING	0.140
35.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.139
36.	ER. ANKUSH KHADWAL	SOIL TESTING	0.137
37.	ER. ANKUSH KHADWAL	SOIL TESTING	0.125
38.	PROF. R.D. GUPTA	RD CONSULTANCY	0.105
39.	ER. ANKUSH KHADWAL	SOIL TESTING	0.080
40.	ER. ANKUSH KHADWAL	SOIL TESTING	0.070
41.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.066
42.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.064
43.	PROF. R.D. GUPTA	MMC	0.057
44.	PROF. R.D. GUPTA	RD CONSULTANCY	0.057
45.	DR. N.K.BATRA	RD CONSULTANCY	0.055
46.	ER. ANKUSH KHADWAL	SOIL TESTING	0.055
47.	DR. N.K.BATRA	RD CONSULTANCY	0.055
48.	DR. N.K.BATRA	RD CONSULTANCY	0.052
49.	DR. N.K.BATRA	RD CONSULTANCY	0.051
50.	DR. N.K.BATRA	RD CONSULTANCY	0.051
51.	DR. ANISH KUMAR	RD CONSULTANCY	0.050
52.	DR. SUMEET GUPTA	ANTI-INFLAMMATORY ACTIVITY OF PROVIDED SAMPLES	0.048
53.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.048
54.	ER. ANKUSH KHADWAL	SOIL TESTING	0.040
55.	ER. ANKUSH KHADWAL	SOIL TESTING	0.040
56.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.036

57.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.032
58.	DR. N.K.BATRA	RD CONSULTANCY	0.031
59.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.030
60.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.027
61.	DR. SUMEET GUPTA	IN VIVO EFFECTS OF SOME FLAVONOIDS FOR THEIR ANTI OBESE AND ANTIDIABETIC EFFECTS.	0.026
62.	DR. VANITA AGGARWAL	STEEL BAR TESTING	0.025
63.	PROF. R.D. GUPTA	RD CONSULTANCY	0.025
64.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.024
65.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.024
66.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.024
67.	ER. ATUL GUPTA	TILE/CUBE TESTING	0.022
68.	DR. N.K.BATRA	RD CONSULTANCY	0.021
69.	PROF. R.D. GUPTA	RD CONSULTANCY	0.021
70.	DR. N.K.BATRA	RD CONSULTANCY	0.018
71.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.018
72.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.018
73.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.016
74.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.016
75.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.016
76.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.016
77.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.016
78.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.016
79.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.016
80.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.016
81.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.016
82.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.016
83.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.016

84.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.016
85.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.014
86.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.012
87.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.012
88.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.012
89.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.008
90.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
91.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
92.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
93.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.008
94.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
95.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
96.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
97.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
98.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
99.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
100.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
101.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.008
102.	ER. BALRAJ SINGH	TILE/CUBE TESTING	0.008
103.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
104.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
105.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
106.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
107.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
108.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
109.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
110.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
111.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
112.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008

113.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
114.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
115.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
116.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
117.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
118.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
119.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
120.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
121.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
122.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
123.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
124.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
125.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
126.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
127.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
128.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
129.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
130.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
131.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
132.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
133.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
134.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
135.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
136.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
137.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008

138.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
139.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
140.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
141.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
142.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
143.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
144.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
145.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
146.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
147.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
148.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
149.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
150.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
151.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
152.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
153.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
154.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
155.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
156.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
157.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
158.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
159.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008


160.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
161.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
162.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
163.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
164.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
165.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
166.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
167.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
168.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
169.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
170.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
171.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
172.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
173.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
174.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
175.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
176.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
177.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
178.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
179.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
180.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
181.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
182.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
183.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
184.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
185.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
186.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
187.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006

188.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
189.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
190.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
191.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
192.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
193.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
194.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
195.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
196.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
197.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
198.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
199.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
200.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
201.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
202.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
203.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
204.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
205.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
206.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
207.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
208.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
209.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
210.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
211.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

212.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
213.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
214.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
215.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
216.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
217.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
218.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
219.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
220.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
221.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
222.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
223.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
224.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
225.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
226.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
227.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
228.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
229.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
230.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
231.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
232.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
233.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
234.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
235.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
236.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
237.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
238.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006

239.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
240.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
241.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
242.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
243.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
244.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
245.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
246.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
247.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
248.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
249.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
250.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
251.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
252.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
253.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
254.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
255.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
256.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
257.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
258.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
259.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
260.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
261.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
262.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
263.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
264.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
265.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

266.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
267.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
268.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
269.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
270.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
271.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
272.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
273.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
274.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
275.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005


Registrar
Maharishi Markandeshwar
(Deemed to be University)
Mullana-Ambala 133-207

MAHARISHI MARKANDESHWAR UNIVERSITY
MULLANA-AMBALA, 133207 HARYANA (INDIA)

(Established under Section 3 of the UGC Act, 1956)

(Accredited by NAAC with grade "A")

List of Research Projects/Consultancy during the session 2015-16

Sr. No	Name of the Principal Investigator/Co Investigator	Name of the Project, Clinical Trial, Endowment, Chairs	Funds provided (INR in Lakhs)
1.	DR. RANDHIR SINGH	TO EVALUATE THE ATTENUATING POTENTIAL OF GYMNEMA SYLVESTRE, CEPHALENDRA INDICA AND THEIR BIOACTIVE COMPOUNDS IN DIABETIC COMPLICATIONS (DIABETIC NEUROPATHY AND DIABETIC NEPHROPATHY)	4.199
2.	DR KULDEEP SINGH	BUILDING BLOCK APPROACH TO B-LACTAMASE INHIBITORS USING METATHESIS	5.000
3.	DR. MANU SHARMA	DEVELOPMENT OF RECEPTOR MEDIATED ENDOCYTOSIS BASED IRINOTECAN-BIOTIN CONJUGATES AS SELECTIVE COLON TUMOR TARGETING AGENTS	24.500
4.	DR. SUKHJEET SINGH DHINDHSA	NUCLEAR STRUCTURE AND DECAY DATA EVALUATION IN THE MASS A= 220 REGION	2.923
5.	CHANPREET SINGH	PREVALENCE PATTERNS AND CORELATES OF PHYSICAL DISABILITY AMONG ELDERLY PEOPLE OF RURAL HARYANA	0.100
6.	DR. NITISH BAISAKHIA	ORGANISM ISOLATION AND THEIR APPLICATION IN THE FORMATION OF BIO-FILM IN PATIENTS OF CHRONIC RINOSINUSITIS	0.100
7.	RHIDHIMA GOYAL	CORELATES OF THE BARRIERS AND MOTIVATIONS TO QUIT SMOKING AMONG THE RURAL POPULATION OF HARYANA	0.100
8.	DR. MANU SHARMA	DEVELOPMENT OF VITAMIN RECEPTOR MEDIATED ENDOCYTOSIS BASED BIOTIN-IRINOTECAN CONJUGATES AS SELECTIVE AND SAFER COLON TUMOR TARGETING AGENTS	8.040
9.	ER. ANKUSH KHADWAL	STRUCTURAL DESIGN	11.400
10.	DR.P.S VOHRA	ADVISORY FEE	4.500
11.	ER. ANKUSH KHADWAL	STRUCTURAL DESIGN	2.783
12.	DR. SUMIT MITTAL	MAKING BUBBLY MOBILE APP	2.392

13.	HOD CSE	RD CONSULTANCY	1.976
14.	HOD CSE	RD CONSULTANCY	1.872
15.	DR.P.S VOHRA	PREPRATION OF INFORMATION MEMORANDUM, FINANCIAL ANALYSIS,RESEARCH WORK,MODIFICATION OF FINANCIAL STATEMENT AND CONAULTANCY CHARGES ON FINANCIAL MATTERS	1.200
16.	DR. POONAM KHANNA MRS. REKHA KAUSHIK	NEUTRACEUTICALS AND FOOD TECHNOLOGY	0.263
17.	ER. ANKUSH KHADWAL	SOIL TESTING	0.240
18.	DR. VIPIN SAINI	NOVEL FAST RELEASING TABLETS FOR COLON ULCER	0.175
19.	ER. ANKUSH KHADWAL	SOIL TESTING	0.120
20.	ER. ANKUSH KHADWAL	SOIL TESTING	0.120
21.	DR. PARNINDER NAIN	ANXIOLYTIC AND MOTOR CO-ORDINATION ACTIVITY OF HUPERZINE-A IN RATS	0.114
22.	DR. PARNINDER NAIN,	EVALUATION OF ANXIOLYTIC AND MOTOR CO-ORDINATION ACTIVITY OF ALANGIUM SALVIFOLIUM LINN SEEDS IN RATS	0.114
23.	DR.SUMEET GUPTA	EVALUATION OF ANXIOLYTIC ACTIVITY OF EXTRACTS OF CUMINUM CYMINUM ON MICE	0.114
24.	ER. ANKUSH KHADWAL	SOIL TESTING	0.110
25.	ER. ANKUSH KHADWAL	SOIL TESTING	0.110
26.	DR. JASPREET NAIN	TO STUDY THE PHARMACOLOGICAL EFFECTS OF DIFFERENT DRUGS FROM CARBON TETRA CHLORIDE AND PARACETAMOL INDUCED HEPATOTOXICITY IN RATS	0.100
27.	ER. ANKUSH KHADWAL	SOIL TESTING	0.100
28.	DR. VIPIN SAINI	NOVEL BUCCAL ADHESIVE TABLET OF CLOTRIMAZOLE	0.100
29.	ER. ANKUSH KHADWAL	SOIL TESTING	0.097
30.	ER. ANKUSH KHADWAL	SOIL TESTING	0.095
31.	ER. ANKUSH KHADWAL	SOIL TESTING	0.080

32.	ER. ANKUSH KHADWAL	SOIL TESTING	0.080
33.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.080
34.	DR. VIPIN SAINI	NOVEL MUCOADHESIVE VAGINAL TABLETS OF FLUCONAZOLE	0.100
35.	DR.SUMEET GUPTA	DESIGN DOCKING AND SYNTHESIS OF PYRAZOLINE DERIVATIVES OF ANTI-INFLMMATORY AGENTS	0.080
36.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.072
37.	ER. ANKUSH KHADWAL	SOIL TESTING	0.070
38.	ER. ANKUSH KHADWAL	SOIL TESTING	0.070
39.	DR. ANISH KUMAR	RD CONSULTANCY	0.070
40.	ER. ANKUSH KHADWAL	SOIL TESTING	0.060
41.	ER. AMRINDER SANDHU	MIX DESIGN	0.060
42.	DR. ANISH KUMAR	RD CONSULTANCY	0.060
43.	PROF. R.D.GUPTA	RD CONSULTANCY	0.057
44.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.056
45.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.054
46.	DR. N.K.BATRA	RD CONSULTANCY	0.051
47.	DR. ANISH KUMAR	RD CONSULTANCY	0.050
48.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.048
49.	DR. N.K.BATRA	RD CONSULTANCY	0.041
50.	ER. ANKUSH KHADWAL	SOIL TESTING	0.040
51.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.040
52.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.040
53.	DR. N.K.BATRA	RD CONSULTANCY	0.040
54.	PROF. R.D.GUPTA	RD CONSULTANCY	0.038
55.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.036
56.	ER. ANKUSH KHADWAL	SOIL TESTING	0.035
57.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.032

58.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.032
59.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.032
60.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.032
61.	DR. N.K.BATRA	RD CONSULTANCY	0.031
62.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.030
63.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.030
64.	DR. N.K.BATRA	RD CONSULTANCY	0.030
65.	PROF. R.D.GUPTA	WEDM	0.025
66.	DR. N.K.BATRA	RD CONSULTANCY	0.024
67.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.024
68.	ER. ANKUSH KHADWAL	SOIL TESTING	0.024
69.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.024
70.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.024
71.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.024
72.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.024
73.	DR. N.K.BATRA	RD CONSULTANCY	0.023
74.	DR. N.K.BATRA	RD CONSULTANCY	0.021
75.	DR. N.K.BATRA	RD CONSULTANCY	0.021
76.	DR. VANITA AGGARWAL	BITUMEN TEST	0.020
77.	PROF. R.D.GUPTA	RD CONSULTANCY	0.019
78.	DR. N.K.BATRA	RD CONSULTANCY	0.018
79.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.018
80.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.018
81.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.018
82.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.018
83.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.018
84.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.018

85.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.018
86.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.016
87.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.016
88.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.016
89.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.016
90.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.015
91.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.015
92.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.015
93.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.015
94.	DR. N.K.BATRA	RD CONSULTANCY	0.014
95.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.012
96.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.012
97.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.012
98.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.012
99.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.012
100.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.012
101.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.012
102.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.012
103.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.012
104.	DR. N.K.BATRA	RD CONSULTANCY	0.011
105.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.010
106.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.010
107.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.010
108.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
109.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.008
110.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
111.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008

112.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
113.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
114.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
115.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.008
116.	ER. GOURAV SANDHU	TILE/CUBE TESTING	0.008
117.	ER. GOURAV SANDHU	TILE/CUBE TESTING	0.008
118.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.008
119.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.008
120.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
121.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.008
122.	ER. ANNU	TILE/CUBE TESTING	0.008
123.	ER. GOURAV SANDHU	TILE/CUBE TESTING	0.008
124.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.008
125.	DR. N.K.BATRA	RD CONSULTANCY	0.007
126.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
127.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
128.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
129.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
130.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
131.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
132.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
133.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
134.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
135.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
136.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
137.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
138.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
139.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006


140.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
141.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
142.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
143.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
144.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
145.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
146.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
147.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
148.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
149.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
150.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
151.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
152.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
153.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
154.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
155.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
156.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
157.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
158.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
159.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
160.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
161.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
162.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
163.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.006
164.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
165.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
166.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
167.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
168.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

169.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
170.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
171.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
172.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
173.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
174.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.006
175.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
176.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
177.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
178.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
179.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
180.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
181.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
182.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
183.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
184.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
185.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
186.	ER. VIKAS SOFAT	TILE/CUBE TESTING	0.006
187.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
188.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
189.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
190.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
191.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
192.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
193.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
194.	DR. R.K.BANSAL	TILE/CUBE TESTING	0.006
195.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
196.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
197.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006

198.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.006
199.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
200.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
201.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.006
202.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.006
203.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
204.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
205.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.005
206.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
207.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
208.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
209.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
210.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
211.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
212.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
213.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
214.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
215.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
216.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
217.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
218.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
219.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
220.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
221.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
222.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
223.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.005
224.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.005
225.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.005
226.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.005
227.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
228.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005

229.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
230.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
231.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.005
232.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.005
233.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.005
234.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
235.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
236.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
237.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.005
238.	ER. ANKUSH KHADWAL	TILE/CUBE TESTING	0.005
239.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
240.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
241.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
242.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
243.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
244.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
245.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
246.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
247.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
248.	ER. AMRINDER SANDHU	TILE/CUBE TESTING	0.005
249.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
250.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
251.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
252.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
253.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
254.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
255.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
256.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
257.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005

258.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
259.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
260.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
261.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
262.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
263.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
264.	ER. MUKESH SAINI	TILE/CUBE TESTING	0.005
265.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
266.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
267.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
268.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
269.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
270.	DR. VANITA AGGARWAL	TILE/CUBE TESTING	0.005
271.	ER. UPAIN BHATIA	TILE/CUBE TESTING	0.005
272.	PROF. R.D.GUPTA	WEDM	0.005
273.	DR. N.K.BATRA	RD CONSULTANCY	0.003


 Registrar
 Maharishi Markandeshwar
 (Deemed to be University)
 Mullana-Ambala 133-207